

T1002	DIN ZYA-S	K30	3-12 mm	192	
T1002	DIN ZYA-S	K30	3-12 mm	192	
T1102	DIN WRC	K30	3-12 mm	192	
T1102	DIN WRC	K30	3-12 mm	192	
T1202	DIN SPG	K30,	3-12 mm	193	
T1202	DIN SPG	K30,	3-12 mm	193	
T1302	DIN RBF	K30	3-12 mm	193	
T1302	DIN RBF	K30	3-12 mm	193	
T2002		K30	2-14 mm	194	 new
T2012		K30	6-14 mm	194	 new




- EN Rotary burrs SC
- DE Frässtifte VHM
- RU Бор-Фрезы твердосплавные

K30

T1002

T1102



D	d	l ₁	l ₂	DIN	DIN	T1002MY	T1002MX	T1102MY	T1102MX
				T1002	T1102				
3	3	38	14	ZYA-S		.030	.030		
3	3	38	14		WRC			.030	.030
6	6	50	16	ZYA-S		.060	.060		
6	6	50	16		WRC			.060	.060
8	6	65	20	ZYA-S		.080	.080		
8	6	65	20		WRC			.080	.080
10	6	65	20	ZYA-S		.100	.100		
10	6	65	20		WRC			.100	.100
12	6	70	25	ZYA-S		.120	.120		
12	6	70	25		WRC			.120	.120




- EN** Rotary burrs SC
- DE** Frässtifte VHM
- RU** Бор-Фрезы твердосплавные

K30

T1202

T1302



D	d	l ₁	l ₂	DIN	DIN	T1202MY	T1202MX	T1302MY	T1302MX
				T1202	T1302				
3	3	38	14	SPG		.030	.030		
3	3	38	14		RBF			.030	.030
6	6	50	16	SPG		.060	.060		
6	6	50	16		RBF			.060	.060
8	6	65	20	SPG		.080	.080		
8	6	65	20		RBF			.080	.080
10	6	65	20	SPG		.100	.100		
10	6	65	20		RBF			.100	.100
12	6	70	25	SPG		.120	.120		
12	6	70	25		RBF			.120	.120




- EN Contour end mills for plastics
- DE Konturenfräser für Kunststoffe
- RU Бор-Фрезы твердосплавные



T2002

T2012



D	d	l ₁	l ₂	Z T2002
2	2	38	10	2
3	3	38	12	2
4	4	40	15	2
5	5	50	16	2
6	6	50	18	2
6	6	57	25	2
8	8	63	25	2
8	8	80	40	2
10	10	72	30	2
12	12	73	30	2
14	14	75	30	2

T2002	T2012
.020	
.030	
.040	
.050	
.060	.060
.060	.060
.080	.080
.080	.080
.100	.100
.120	.120
.140	.140

